

INVALID

Pat. No. 05975341 - 8
Issue Date: 07/05/04

Group ID: H
User ID: Rxbhavs
Page 1
KS: 7,858

Warning [US Ref Patentee Last Name: Page:4 Posn:22]

 Last Name does not have an upper case first letter

Invalid [Foreign Reference: Page:4 Posn:1]

 Foreign Patent Country is required

Marker [Foreign Reference: Page:4 Posn:1]

 QA

Invalid [Foreign Patent Country: Page:4 Posn:1]

 is required

Warning [Pages Of US References:]

 page 1 has no references

 page 5 has no references

 page 6 has no references

Warning [Pages Of Foreign References:]

 page 1 has no references

 page 2 has no references

 page 3 has no references

 page 5 has no references

 page 6 has no references

Warning [Pages Of Other References:]

 page 2 has no references

 page 3 has no references

 page 4 has no references

Pat. No. 05975341 - 8
Issue Date: 07/05/04

Group ID: H
User ID: Rxbhavs

Page 1

CHECK LIST

Rule 47 Continuing Data PCT Disclaimer

No Yes No Yes

Microfiche Appendix CPA tag

No No

Foreign Priority Claimed: No
Acknowledged: No

State Code: CA Country Code:

Text Endorsement: 09756617.010301

=====

JACKET

<u>SERIAL NUMBER</u>	<u>FILING DATE</u>	<u>CLASS</u>	<u>SUBCLASS</u>	<u>GAU</u>
09/756,617	01/03/01	345	157	2675

FOREIGN PRIORITY
Country Document Number Date

DISCLAIMER

/ /

TITLE

Providing force feedback to a user of an interface device based on
interactions of a user-controlled cursor in a graphical user interface

MICROFICHE APPENDIX

ASSISTANT EXAMINER:

<u>First:</u>	<u>Middle:</u>	<u>Last:</u>
Paul	A.	Bell

PRIMARY EXAMINER:

<u>First:</u>	<u>Middle:</u>	<u>Last:</u>
Chanh		Nguyen

Pat. No. 05975341 - 8
Issue Date: 07/05/04

Group ID: H
User ID: Rxbhavs

Page 2

CLAIMS ALLOWED
Total Print

40 1

DRAWINGS
Sheets Figures Print

27 44 Y

=====

BLUE SLIP INFORMATION

<u>SERIAL NUMBER</u>	<u>CLASS</u>	<u>SUBCLASS</u>	<u>GAU</u>
09/756,617	345	157	2675

<u>INDEP. CLAIMS</u>	<u>TOTAL CLAIMS</u>
1,16,23,30,38,39,40	40

=====

BLUE SLIP (Page 1)

INTERNATIONAL CLASSIFICATION
Class SubClass

G09G 5/08;5/00

CROSS-REFERENCES
Class SubClass

463 37

345 856;701;702

=====

TERM EXTENSION

39

FIELD OF SEARCH

<u>Class</u>	<u>SubClass</u>
345	156;157;161;163;169;701;702;856

Pat. No. 05975341 - 8
Issue Date: 07/05/04

Group ID: H
User ID: Rxbhavs

Page 3

463 30;36;37;38

273 148 B

434 45

=====

OATH

INVENTOR NAME

<u>First:</u>	<u>Middle:</u>	<u>Last:</u>	<u>Signed:</u>
Louis	B.	Rosenberg	Yes

City: Pleasanton

State: CA ZIP Code: Country: Foreign ZIP:

INVENTOR NAME

<u>First:</u>	<u>Middle:</u>	<u>Last:</u>	<u>Signed:</u>
Scott	B.	Brave	Yes

City: La Honda

State: CA ZIP Code: Country: Foreign ZIP:

=====

PCT INFO

=====

CONTINUING DATA (Page 1)

<u>LINE</u>	<u>CODE</u>	<u>SERIAL NUMBER</u>	<u>FILING DATE</u>	<u>STATUS</u>	<u>DOCUMENT NO.</u>	<u>ISSUE DATE</u>
104	71	08/571,606	12/13/1995	01	6,219,032	/ /
105	82	08/566,282	12/01/1995	01	5,734,373	/ /

=====

REFERENCES (Page 1) SERIAL NUMBER: 09/756,617
FORM 892

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

MagicMouse: +37 Tactile and Kinesthetic Feedback In The Human-computer Interface Using An Electromagnetically Actuated/output Device+38 ,
Dept of EE Univ of British Columbia (Oct. 19, 1993).

=====

REFERENCES (Page 2) SERIAL NUMBER: 09/756,617
FORM 892

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
5,186,629	02/1993	Rohen	340	825.19
5,298,890	03/1994	Kanamaru et al.	345	157
5,643,087	07/1997	Marcus et al.	273	148 B
5,709,219	01/1998	Chen et al.	345	156
5,710,574	01/1998	Jaaskelainen, Jr.	345	159
5,757,358	05/1998	Osga	345	157
5,898,599	04/1999	Massie et al.	318	628
6,004,134	12/1999	Marcus et al.	345	161
*6,046,726	04/2000	Keyson	345	156

No issue date available.

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 3) SERIAL NUMBER: 09/756,617
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

Pat. No. 05975341 - 8
Issue Date: 07/05/04

Group ID: H
User ID: Rxbhavs

Page 5

2002/0024501 02/2002 Shalit

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 4) SERIAL NUMBER: 09/756,617
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

5,785,630	07/1998	Bobick et al.		
5,766,016	06/1998	Sinclair et al.		
5,547,382	08/1996	Yamasaki et al.		
5,466,213	11/1995	Hogan et al.		
5,334,027	08/1994	Wherlock		
5,309,140	05/1994	Everett, Jr. et al.		
5,299,810	04/1994	Pierce et al.		
5,275,174	01/1994	Cook		
5,271,290	12/1993	Fischer		
5,240,417	08/1993	Smithson et al.		
5,212,473	05/1993	Louis		
5,078,152	01/1992	Bond et al.		
5,038,089	08/1991	Szakaly		
5,035,242	07/1991	Franklin et al.		
5,022,407	06/1991	Horch et al.		
5,019,761	05/1991	Kraft		
4,934,694	06/1990	McIntosh		
4,930,770	06/1990	Baker		

4,891,764	01/1990 McIntosh
4,794,392	12/1988 Selinko
4,713,007	12/1987 Alban
4,708,656	11/1987 de Vries et al.
4,599,070	07/1986 Hladky et al.
4,581,491	04/1986 Boothroyd
4,513,235	04/1985 Acklam et al.
4,236,325	12/1980 Hall et al.
4,160,508	07/1979 Frosch et al.
3,911,416	10/1975 Feder
3,903,614	09/1975 Diamond et al.
3,902,687	09/1975 Hightower
3,623,064	11/1971 Kagan
3,517,446	06/1970 Corlyon et al.
3,497,668	02/1970 Hirsch
3,220,121	11/1965 Cutler
3,157,853	11/1964 Hirsch

FOREIGN REFERENCES

<u>Foreign</u>	<u>Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
----------------	----------------	-------------	----------------	--------------	-----------------

0	349 086 A1	01/1990			
---	------------	---------	--	--	--

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.).

=====

REFERENCES (Page 5) SERIAL NUMBER: 09/756,617
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

Foreign Doc No. Date Country Class SubClass

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Baigrie, +37 Electric Control Loading+13 A Low Cost, High Performance
Alternative,+38 +0 +i Proceedings of Interservice/Industry Training
Systems Conference+1 , pp. 247-254, Nov. 6-8, 1990.

Iwata, +37 Pen-based Haptic Virtual Environment,+38 +0
0-7803-1363-1/93 IEEE, pp. 287-292, 1993.

Russo, +37 The Design and Implementation of a Three Degree of Freedom
Force Output Joystick,+38 +0 +i MIT Libraries Archives+1 +0 pp. 1-131,
May 1990, archived Aug. 14, 1990.

Brooks et al., +37 Hand Controllers for Teleoperation+13 A
State-of-the-Art Technology Survey and Evaluation,+38 +0 +i JPL
Publication 85-11+1 , NASA-CR-175890; N85-28559, pp. 1-84, Mar. 1,
1985.

Jones et al., +37 A perceptual analysis of stiffness,+38 +0 ISSN
0014-4819 Springer International (Springer-Verlag); +i Experimental
Brain Research+1 , vol. 79, No. 1, pp. 150-156, 1990.

Burdea et al., +37 Distributed Virtual Force Feedback, Lecture Notes
for Workshop on Force Display in Virtual Environments and its
Application to Robotic Teleoperation,+38 +0 +i 1993 IEEE International
Conference On Robotics and Automation+1 , pp. 25-44, May 2, 1993.

Snow et al., +37 Model-X Force-Reflecting-Hand-Controller,+38 +0 NT
Control No. NPO-17851; JPL Case No. 7348, pp. 1-4 with 45 pages of

attachments, Jun. 15, 1989.

Ouh-Young, +37 Force Display in Molecular Docking,+38 +0 Doctoral
Dissertation, University of North Carolina at Chapel Hill, UMI Order
No. 9034744, p. 1-369, 1990.

Tadros, +37 Control System Design for a Three Degree of Freedom
Virtual Environment Simulator Using Motor/Brake Pair Actuators,+38 +0
+i MIT Archive+1 , pp. 1-88, Feb. 1990, archived Aug. 13, 1990.

Caldwell et al., +37 Enhanced Tactile Feedback (Tele-Taction) Using a
Multi-Functional Sensory System,+38 +0 1050-4729/93, pp. 955-960,
1993.

Adelstein et al., +37 Design and Implementation of a Force Reflecting
Manipulandum for Manual Control research,+38 +0 DSC-+0 vol. 42, +i
Advances in Robotics+1 , pp. 1-12, 1992.

Gotow et al., +37 Controlled Impedance Test Apparatus for Studying
Human Interpretation of Kinesthetic Feedback,+38 +0 WA11-11:00, pp.
332-337.

Stanley et al., +37 Computer Simulation of Interacting Dynamic
Mechanical Systems Using Distributed Memory Parallel Processors,+38 +0
DSC-vol. 42, +i Advances in Robotics+1 , pp. 56-61, ASME 1992.

Russo, +37 Controlling Dissipative Magnetic Particle Brakes in Force
Reflective Devices,+38 +0 DSC-vol. 42, +i Advances in Robotics+1 , pp.
63-70, ASME 1992.

Kontarinis et al., +37 Display of High-Frequency Tactile Information
to Teleoperators,+38 +0 +i Telemanipulator Technology and Space
Telerobotics+1 , Won S. Kim, Editor, Proc. SPIE vol. 2057, pp. 40-50,
Sep. 7-9, 1993.

Patrick et al., +37 Design and Testing of A Non-reactive, Fingertip,
Tactile Display for Interaction with Remote Environments,+38 +0 +i
Cooperative Intelligent Robotics in Space+1 , Rui J. deFigueiredo et
al, Editor, Proc. SPIE vol. 1387, pp. 215-222, 1990.

Adelstein, +37 A Virtual Environment System For The Study of Human Arm
Tremor,+38 +0 +i Ph.D. Dissertation+1 , Dept. of Mechanical
Engineering, MIT, Jun. 1989, archived Mar. 13, 1990.

Bejczy, +37 Sensors, Controls, and Man-Machine Interface for Advanced
Teleoperation,+38 +0 +i Science+1 , vol. 208, No. 4450, pp. 1327-1335,
1980.

Bejczy et al., +37 Generalization of Bilateral Force-Reflecting
Control of Manipulators,+38 +0 +i Proceedings Of Fourth CISM-IFTOMM+1
, Sep. 8-12, 1981.

McAfee et al., +37 Teleoperator Subsystem/Telerobot Demonstrator:
Force Reflecting Hand Controller Equipment Manual,+38 +0 +i JPL+1 +0
1988, JPL D-5172.

Minsky, +37 Computational Haptics: The Sandpaper System for
Synthesizing Texture for a Force-Feedback Display,+38 +0 +i Ph.D.

Dissertation+1 , MIT, Jun. 1995, archived Jul. 6, 1995.

Jacobsen et al., +37 High Performance, Dextrous Telerobotic

Manipulator With Force Reflection,+38 +0 +i Intervention/ROV +3 91

Conference & Exposition+1 , Hollywood, Florida, May 21-23, 1991.

Shimoga, +37 Finger Force and Touch Feedback Issues in Dexterous

Telemanipulation,+38 +0 +i Proceedings of Fourth Annual Conference on

Intelligent Robotic Systems for Space Exploration+1 , Rensselaer

Polytechnic Institute, Sep. 30-Oct. 1, 1992.

IBM Technical Disclosure Bulletin, +37 Mouse Ball-Actuating Device

With Force and Tactile Feedback,+38 +0 vol. 32, No. 9B, Feb. 1990.

Terry et al., +37 Tactile Feedback In A Computer Mouse,+38 +0 +i

Proceedings of Fourteenth Annual Northeast Bioengineering Conference,

University of New Hampshire+1 , Mar. 10-11, 1988.

Howe, +37 A Force-Reflecting Teleoperated Hand System for the Study of

Tactile Sensing in Precision Manipulation,+38 +0 +i Proceedings of the

1992 IEEE International Conference on Robotics and Automation+1 ,

Nice, France, May 1992.

Eberhardt et al., +37 OMAR+13 A Haptic display for speech perception

by deaf and deaf-blind individuals,+38 +0 +i IEEE Virtual Reality

Annual International Symposium+1 , Seattle, WA, Sep. 18-22, 1993.

=====
REFERENCES (Page 6) SERIAL NUMBER: 09/756,617
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Rabinowitz et al., +37 Multidimensional tactile displays:

Identification of vibratory intensity, frequency, and contractor
area,+38 +0 +i Journal of The Acoustical Society of America+1 , vol.
82, No. 4, Oct. 1987.

Bejczy et al., +37 Kinesthetic Coupling Between Operator and Remote
Manipulator,+38 +0 +i International Computer Technology Conference,
The American Society of Mechanical Engineers+1 , San Francisco, CA,
Aug. 12-15, 1980.

Bejczy et al., +37 A Laboratory Breadboard System For Dual-Arm
Teleoperation,+38 +0 +i SOAR +3 89 Workshop, JSC+1 , Houston, TX, Jul.
25-27, 1989.

Ouhyoung et al., +37 A Low-Cost Force Feedback Joystick and Its Use in
PC Video Games,+38 +0 +i IEEE Transactions on Consumer Electronics+1 ,
vol. 41, No. 3, Aug. 1995.

Marcus, +37 Touch Feedback in Surgery,+38 +0 +i Proceedings of
Virtual Reality and Medicine The Cutting Edge+1 , Sep. 8-11, 1994.

Bejczy, et al., +37 Universal Computer Control System (UCCS) For Space
Telerobots,+38 +0 CH2413-3/87/0000/0318501.00 1987 IEEE, 1987.

=====

Pat. No. 05975341 - 8
Issue Date: 07/05/04

Group ID: H
User ID: Rxbhavs

Page 12
